FOR FURTHER TRAN ######

See A053491

AD A054399

ID No.

DDC FILE COPY

Structure and Bonding in Octaisopropoxydimolybdenum(IV).

by M. H. Chisholm,[1] F. A. Cotton,[2] M. W. Extine[2]

and W. W. Reichert[1]

Prepared for Publication

in

Inorganic Chemistry

Departments of Chemistry

[1]Princeton University

Princeton, New Jersey 08540

and

[2]Texas A & M University

College Station, Texas 77843

D D C

RECEIVED
MAY 24 1978

E

May 9, 1978

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Structure and Bonding in Octaisopropoxydimolybdenum(IV).		5. TYPE OF REPORT & PERIOD COVERED Technical Report, 1978
		6. PERFORMING ORG. REPORT NUMBER TR-78-12
7. AUTHOR(s) M. H. Chisholm, F. A. Cotton, M.W. Extine W. W. Reichert		8. CONTRACT OR GRANT NUMBER(s) N00014-76-C-0826
9. PERFORMING ORGANIZATION NAME AND ADDRESS Departments of Chemistry Princeont University, Princeton, N. J. Texas A & M Univ., College Station, Tx.		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 9 May 78
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Department of the Navy		12. REPORT DATE May 9, 1978
		13. NUMBER OF PAGES 14
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)		15. SECURITY CLASS. (of this report) 17p.
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Molybdenum, Alkoxy, Metal-Metal Double Bond.

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The title compound was prepared by the action of isopropanol on tetra(dimethylamido)molybdenum(IV). X-ray crystallography has shown that it is a dinuclear $(Pr^iO)_3Mo(\mu-Pr^iO)_2Mo(OPr^i)_3$ molecule which has a rigorous crystallographic center of inversion and approximate C_{2h} symmetry. The bridges are unsymmetrical with Mo-O distances of 1.958(3)Å and 2.111(3)Å. The configuration of oxygen atoms about each metal atom is a slightly distorted trigonal bi-

DD 1 JAN 73 1473   EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

pyramid. The Mo-Mo distance, 2.523(1) $\mathring{A}$, is consistent with the existence of a double bond between the metal atoms. The crystallographic parameters are: Space group, $P2_1/n$; a = 9.902(2) $\mathring{A}$; b = 17.867(3) $\mathring{A}$; c = 9.725(2) $\mathring{A}$, β = 102.89(1)^0; V = 1677.2(9) $\mathring{A}^3$; Z = 2. The structure was refined employing anisotropic thermal parameters for all atoms except hydrogen atoms, which were omitted altogether, to R_1 = 0.040 and R_2 = 0.068. The question of whether the Mo-Mo bond is in fact a double bond is discussed, and it is shown that from the distance alone it is not possible to decide conclusively between a double bond or a single bond accompanied by coupling of one pair of electrons through the bridge system. The possibility of there being an unusual type of double bond consisting of a π and a δ component is outlined.

ACCESSION for

NTIS White Section

DDC Buff Section

UNANNOUNCED

JUSTIFICATION.....................................

....

BY...

DISTRIBUTION/AVAILABILITY CODES

Dist. AVAIL. and/or SPECIAL

A

Structure and Bonding in Octaisopropoxydimolybdenum(IV).

by M. H. Chisholm,[1a*] F. A. Cotton,[1b*] M. W.Extine[1b] and W. W. Reichert[1a]

Departments of Chemistry, Princeton University, Princeton N. J. and

Texas A&M University, College Station, Texas 77843

ABSTRACT

The title compound was prepared by the action of isopropanol on tetra(dimethylamido)molybdenum(IV). X-ray crystallography has shown that it is a dinuclear $(Pr^iO)_3Mo(\mu-Pr^iO)_2Mo(OPr^i)_3$ molecule which has a rigorous crystallographic center of inversion and approximate C_{2h} symmetry. The bridges are unsymmetrical with Mo-O distances of 1.958(3)Å and 2.111(3)Å. The configuration of oxygen atoms about each metal atom is a slightly distorted trigonal bipyramid. The Mo-Mo distance, 2.523(1)Å, is consistent with the existence of a double bond between the metal atoms. The crystallographic parameters are: Space group, $P2_1/n$; a = 9.902(2)Å; b = 17.867(3)Å; c = 9.725(2)Å, β = 102.89(1)°; V = 1677.2(9)Å^3; Z = 2. The structure was refined employing anisotropic thermal parameters for all atoms except hydrogen atoms, which were omitted altogether, to R_1 = 0.040 and R_2 = 0.068. The question of whether the Mo-Mo bond is in fact a double bond is discussed, and it is shown that from the distance alone it is not possible to decide conclusively between a double bond or a single bond accompanied by coupling of one pair of electrons through the bridge system. The possibility of there being an unusual type of double bond consisting of a π and a δ component is outlined.

-2-

INTRODUCTION

It is well established[2,3] that dialkylamidometal compounds react readily with alcohols according to the general equation

$$M_x(NR_2)_y + yR'OH \rightarrow M_x(OR)_y + yHNR_2$$

It is also well known[2,3] that metal alkoxides tend to be oligomers as a result of OR groups serving as bridges. On the basis of this background, it was therefore to be expected that the following reaction, employing the well-characterized $Mo(NMe_2)_4$[4] as starting material, would proceed.

$$nMo(NMe_2)_4 + 4n\ ROH \rightarrow [Mo(OR)_4]_n + 4nHNMe_2$$

It has recently been shown[5] that it does, and in the case of $R = CHMe_2$ the value of $\underline{n}$ was indicated to be 2. Since the compound $Mo_2(OPr^i)_8$ is also diamagnetic, it was clearly of interest to investigate its structure to determine if the diamagnetism can be attributed to the existence of a metal-metal bond. We report here such an investigation.

EXPERIMENTAL

The compound was prepared as described elsewhere.[5] All manipulations of the compound were performed in an inert atmosphere.

A crystal measuring approximately 0.4 x 0.4 x 0.6 m was wedged in a thin-walled glass capillary under N_2 and mounted with its longest dimension nearly coincident with the phi axis. ω-scans of several intense low angle reflections had peak widths at half-height of $\underline{ca}$. 0.2°. Cell constants and axial photographs showed that the crystal belonged to the monoclinic system with a = 9.902(2)Å, b = 17.867(3)Å, c = 9.725(2)Å, β = 102.89(1)°, and

$V = 1677.2(9)\text{Å}^3$. The volume is consistent with that expected for $Z = 2$.

Data were collected[6] at 23°C using a Syntex P$\bar{1}$ autodiffractometer and MoKα ($\lambda = 0.710730\text{Å}$) radiation monochromatized with a graphite crystal in the incident beam. Symmetrical θ–2θ scans ranging from 1.0° above Kα$_1$ to 1.0° below Kα$_2$, variable scan speeds ranging from 4.0 to 24.0°/min, and a background to scan-time ratio of 0.5 were employed. The intensities of three standard reflections were monitored frequently throughout data collection and showed an average overall decrease of 11%. A total of 2269 data having $0° < 2\theta(\text{MoK}\alpha) < 45°$ were collected. The data were reduced to a set of relative $|F_o|^2$ values and corrected for crystal decay. An absorption

correction was not deemed necessary ($\mu = 8 \text{ cm}^{-1}$). The 1826 unique data having $|F_o|^2 > 3\sigma|F_o|^2$ were used to solve and refine the structure.

Systematic absences observed during data collection uniquely determined the space group to be P2$_1$/n, a non-standard setting of P2$_1$/c (No. 14). The structure was solved[6] using standard heavy-atom techniques and refined to convergence using anisotropic thermal parameters for the 17 non-hydrogen atoms. Final residuals were

$$R_1 = \Sigma||F_o|-|F_c||/\Sigma|F_o| = 0.040$$
$$R_2 = [\Sigma w(|F_o|-|F_c|)^2/\Sigma w|F_o|^2]^{1/2} = 0.068.$$

The esd of an observation of unit weight was 1.66. A value of 0.07 was used for p in the calculation of the weights.[6] A final difference Fourier map revealed no chemically significant peaks. A table of observed and calculated structure factors (8 pages) is available as supplementary material. See any current masthead page for ordering information.

-4-

RESULTS AND DISCUSSION

<u>Description of the Structure.</u> The compound crystallizes in the mono-
clinic space group $P2_1/n$, with two molecules in the unit cell. The molecules
therefore reside on inversion centers. Table I lists the atomic positional
and thermal parameters.

The Mo_2O_8 portion of the molecule has essentially C_{2h} symmetry although
the orientations of the $CHMe_2$ groups destroy the plane of symmetry, as can be
seen in Fig. 1. The bond distances and angles are listed in Table II.

The Mo_2O_8 central portion of the structure can be viewed as two MoO_5
trigonal bipyramids joined along a common axial-equatorial edge. This is
clearly seen in Fig. 2A. The three equatorial bonds make almost perfect
(120°) trigonal angles, the actual values being 120.9(1)°, 120.2(2)° and 118.9(2)°
and the MoO_3 unit is planar within experimental error. The axial O-Mo-O unit
is slightly bent, 173.1(1)°, and is also slightly (<u>ca.</u> 5°) off of perpendicularity
to the equatorial plane.

The bridging system is distinctly unsymmetrical, the two Mo-O distances
differing by 0.15Å. However, at least part of this may be due to the fact
that one bridge bond is to an equatorial position and the other to an axial
position of a trigonal bipyramid, and even the terminal bonds to these two
types of position differ by about 0.10Å.

<u>The Metal-Metal Bond.</u> The very short Mo-Mo distance of 2.523(1)Å together
with the acute angles, 76.5(1)°, at the bridging oxygen atoms and the obtuse
angles, 103.5(1)°, at the Mo atoms argue irrefutably for a direct bond between
the metal atoms. The structural evidence in favor of the Mo-Mo bond is cogently
presented in Fig. 2 where the $Mo_2(OPr)_8$ structure is contrasted directly with
that of $Mo_2(OPr)_6(NO)_2$[7] in which there is no Mo-Mo bond and hence a net repul-

sive interaction between the metal atoms.

It is well known that the lengths of Mo-Mo single bonds vary greatly[8] depending upon formal oxidation number and the character of the ligands present, and also that when bridging groups are present it is not possible unequivocally to distinguish between direct coupling of electron spins (M-M bonding) and indirect coupling through the bridging ligands. Nevertheless, it seems reasonable to suggest that in this compound we are dealing with a double bond between the molybdenum atoms. Given that there is an Mo-Mo bond of some type (which the structural characteristics demand) and assuming, for simplicity, that only integral bond orders need be considered, the only possibilities are 1 and 2 since we are dealing with molybdenum atoms in the formal oxidation state +4. If we assume a bond order of 1 we have to postulate coupling of the remaining electron spins through the bridge system, whereas a bond order of 2 directly accounts for the lack of unpaired electrons.

The Mo-Mo distance cannot be used as evidence in determining the bond order unless careful attention is given to the details of the system of bridging ligands in this and any compound with which it is compared. Even then, such an argument is far from conclusive with the evidence currently available. It is true that most Mo-Mo single bonds previously reported[8] are longer (>2.6Å) than the Mo-Mo distance in the present case. It is also true that at least one compound, namely $Mo_2(OBu^t)_6(CO)$, r(Mo-Mo) = 2.498(1)Å[9] (and perhaps a second compound, MoO_2 with r(Mo-Mo) = 2.511Å[10]) that probably has a double bond, has a Mo-Mo bond length similar to that in the present compound. These facts are consistent with the assignment of a bond order of 2 in the present case, but do not require it. One weakness in the argument is that the presence of Mo=Mo bonds in $Mo_2(OBu^t)_6(CO)$ and particularly in MoO_2 is not absolutely certain.

It is even more important, however, that there are several cases in which compounds that <u>cannot</u> have Mo-Mo bond orders greater than 1 have Mo-Mo distances comparable to the present one. Thus, we have the Mo_3O_{13} unit in $Zn_2Mo_3O_8$, for which the Mo-Mo distance is 2.524Å[11] and the structurally similar $[Mo_3O_4(C_2O_4)_3 (H_2O)_3]^{2-}$ ion[12] where the distance is 2.486Å. In these Mo^{IV} compounds there are equilateral triangles of molybdenum atoms and it is reasonable to believe that each molybdenum atom forms to single bonds to its neighbors, but in any case there are not enough electrons available to form bonds of any greater order than 1. It can certainly be argued that the different arrangement of bridging oxygen atoms in the trinuclear species, particularly the presence of one oxygen atom that is symmetrically bound to all three metal atoms, causes a close approach of the metal atoms to one another. However, a consideration of these compounds drives home the point that no conclusion can be drawn about the bond order simply from the distance.

We are, however, inclined to believe that there is actually a direct double bond. The concept of only an Mo-Mo single bond with the remaining two electrons coupled through the bridging system is disfavored by the fact that the configurations at the bridging oxygen atoms are distinctly pyramidal, whereas good spin coupling would presumably be possible only with a planar configuration. The nature of such a double bond is dependent upon the structural properties of this molecule. It is instructive to analyze this aspect of the problem by contrasting the $Mo_2(OPr^i)_8$ molecule with the $Mo_2(OPr^i)_6(NO)_2$ molecule, since there is a trigonal bipyramidal arrangement of ligands about the metal atoms in both compounds.

A trigonal bipyramidal field splits the metal d orbitals into three sets $e'(D_{x^2-y^2}, d_{xy})$, $e''(d_{xz}, d_{yz})$ and $a'(d_{z^2})$ with the d_{xz}, d_{yz} degenerate pair

lying lowest in energy. In the nitrosyl, each Mo atom may be assumed, formally, to have four 4d electrons after the formation of σ bonds to each of the five ligands, provided we also use the conventional though purely formal description of the linear Mo-N-O moiety as $\bar{\text{Mo}}$-(NO$^+$). These four electrons should then fill up the e''(d_{xz},d_{yz}) orbitals, where they can participate very effectively in backbonding to the NO, thus explaining the very low (1632 cm^{-1}) value of ν_{NO} and the absence of an Mo-Mo bond. In Mo$_2$(OPr^i)$_8$, where the formal oxidation number of Mo is +2, each Mo atom has two 4d electrons. It is possible to envision the formation of a double bond as the result of d_{xz}-d_{xz} and d_{yz}-d_{yz} overlaps. This could be construed as a combination of one π bond and one δ bond, but whether the lower symmetry that actually exists will materially alter such a formal description is problematic. In any event, in both compounds the molybdenum atoms have 14-electron valence shell configurations. If the double bond in Mo$_2$(OPr^i)$_8$ does consist of this rather unusual combination of a π and a δ combination instead of the conventional $\sigma + \pi$ pair, this might explain why it is relatively long since, in general, δ components of multiple bonds are always much less effective than σ ones.

REFERENCES

1. (a) Princeton University. (b) Texas A&M University.

2. D. C. Bradley and K. J. Fisher, in "M.T.P. International Review of Science" Vol. 5, Part I, pp. 65-91, Butterworths, London 1972.

3. D. C. Bradley, Adv. Inorg. Radiochem., 15, 259 (1972).

4. M. H. Chisholm. F. A. Cotton and M. W. Extine, Inorg. Chem., 17, xxxx (1978).

5. M. H. Chisholm, W. W. Reichert and P. Thornton, J. Amer. Chem. Soc., 100 (1978).

6. Procedures for the collection of data and for solving and refining the structure were standard ones and have been described often in our previous papers, e.g., M. H. Chisholm, F. A. Cotton, C. A. Murillo and W. W. Reichert, Inorg. Chem., 16, 1801 (1977).

7. M. H. Chisholm, F. A. Cotton, M. W. Extine and R. L. Kelly, J. Amer. Chem. Soc., 100, xxxx (1978). (May 24 issue).

8. F. A. Cotton, J. Less-Common Metals, 54, 3 (1977).

9. M. H. Chisholm, R. L. Kelly, F. A. Cotton and M. W. Extine, J. Amer. Chem. Soc., 100, 2256 (1978).

10. B. G. Brandt and A. G. Shapski, Acta Chem. Scand., 21, 661 (1967).

11. G. B. Ansell and L. Katz, Acta Crystallograph., 21, 482 (1966).

12. A. Bino, F. A. Cotton and Z. Dori, J. Am. Chem. Soc., 100 xxxx (1978).

Table I.   POSITIONAL AND THERMAL PARAMETERS AND THEIR ESTIMATED STANDARD DEVIATIONS.

ATOM	X	Y	Z	B(1,1)	B(2,2)	B(3,3)	B(1,2)	B(1,3)	B(2,3)
Mo	0.01279(5)	0.06291(3)	0.06040(5)	2.57(2)	2.32(2)	2.72(2)	-0.07(2)	0.58(2)	-0.06(2)
O(1)	0.0269(4)	0.0441(2)	-0.1343(4)	2.9(1)	2.8(2)	2.9(1)	-0.3(1)	0.8(1)	0.2(1)
O(2)	0.1705(4)	0.0614(2)	0.2083(4)	3.5(2)	3.3(2)	3.5(2)	-0.5(1)	-0.1(2)	-0.4(1)
O(3)	0.0501(4)	0.1675(2)	0.0146(4)	4.6(2)	2.5(2)	3.9(2)	-0.6(2)	1.1(1)	-0.2(2)
O(4)	-0.1610(4)	0.0821(2)	0.1019(5)	3.6(2)	3.5(2)	5.4(2)	0.6(2)	1.8(1)	0.2(2)
C(1)	0.1153(7)	0.0677(3)	-0.2279(7)	4.5(3)	3.7(3)	3.8(3)	-0.0(2)	2.0(2)	0.9(2)
C(2)	0.0510(8)	0.1349(4)	-0.3089(8)	6.5(4)	4.7(3)	4.8(3)	0.5(3)	1.6(3)	2.6(3)
C(3)	0.2653(7)	0.0834(4)	-0.1423(8)	3.4(3)	5.9(4)	6.3(3)	-0.9(3)	1.8(2)	0.2(3)
C(4)	0.2491(7)	0.0041(4)	0.2916(6)	3.6(3)	4.3(3)	3.6(3)	-0.1(3)	-0.6(2)	0.5(3)
C(5)	0.2331(9)	0.0134(5)	0.4438(7)	6.9(4)	8.5(5)	3.9(3)	0.2(4)	0.6(3)	1.0(4)
C(6)	0.4001(8)	0.0152(5)	0.2799(9)	3.6(3)	5.8(4)	7.5(4)	0.1(3)	0.3(3)	0.5(4)
C(7)	0.0972(8)	0.2232(4)	0.1190(8)	6.9(4)	2.7(3)	5.9(4)	-1.3(3)	1.1(3)	-0.8(3)
C(8)	0.0268(10)	0.2970(5)	0.0607(10)	10.3(6)	3.1(4)	9.5(6)	0.1(4)	2.0(5)	-0.6(3)
C(9)	0.2545(9)	0.2317(5)	0.1447(11)	6.1(4)	6.0(4)	9.3(5)	-3.0(3)	-0.2(4)	-0.8(4)
C(10)	-0.2292(7)	0.1526(4)	0.1115(8)	4.6(3)	3.7(3)	6.0(3)	1.9(2)	1.7(2)	-0.0(3)
C(11)	-0.3765(10)	0.1467(6)	0.0167(13)	7.2(5)	7.9(5)	11.8(7)	3.7(4)	-2.3(5)	-1.3(5)
C(12)	-0.2447(12)	0.1630(6)	0.2615(10)	17.1(7)	9.8(5)	7.4(5)	8.0(4)	5.0(4)	0.7(4)

The form of the anisotropic thermal parameter is:

$$exp[-1/4(B_{11}h^2a^{*2} + B_{22}k^2b^{*2} + B_{33}l^2c^{*2} + 2B_{12}hka^*b^* + 2B_{13}hla^*c^* + 2B_{23}klb^*c^*)]$$

Table II. Bond Distances (Å) and Angles (Deg).[a]

Atoms	Atoms	Distance	Atoms			Angle
Mo	Mo	2.523(1)	O(1)	Mo	O(3)	83.5(1)
Mo	O(1)	1.958(3)	O(1)	Mo	O(4)	120.2(2)
Mo	O(1)'	2.111(3)	O(1)'	Mo	O(4)	84.9(1)
Mo	O(2)	1.872(3)	O(1)'	Mo	O(3)	173.1(1)
Mo	O(3)	1.976(3)	O(1)	Mo	O(4)	81.0(1)
Mo	O(4)	1.884(3)	O(2)	Mo	O(3)	91.2(1)
O(1)	C(1)	1.460(6)	O(2)	Mo	O(4)	118.9(2)
O(2)	C(4)	1.424(6)	O(3)	Mo	O(4)	95.8(2)
O(3)	C(7)	1.424(6)	Mo	O(1)	Mo'	76.5(1)
O(4)	C(10)	1.443(6)	Mo	O(1)	C(1)	137.4(3)
C(1)	C(2)	1.498(8)	Mo'	O(1)	C(1)	131.1(3)
C(1)	C(3)	1.558(8)	Mo	O(2)	C(4)	134.7(3)
C(4)	C(5)	1.533(8)	Mo	O(3)	C(7)	123.3(3)
C(4)	C(6)	1.538(8)	Mo	O(4)	C(10)	129.5(3)
C(7)	C(8)	1.538(9)	O(1)	C(1)	C(2)	108.4(5)
C(7)	C(9)	1.529(9)	O(1)	C(1)	C(3)	110.6(5)
C(10)	C(11)	1.545(9)	C(2)	C(1)	C(3)	112.4(5)
C(10)	C(12)	1.512(10)	O(2)	C(4)	C(5)	108.1(5)
			O(2)	C(4)	C(6)	106.3(4)

Atoms			Angle
Mo'	Mo	O(1)	54.45(9)
Mo'	Mo	O(1)'	49.00(9)
Mo'	Mo	O(2)	108.9(1)
Mo'	Mo	O(3)	137.9(1)
Mo'	Mo	O(4)	105.1(1)
O(1)	Mo	O(1)'	103.5(1)
O(1)	Mo	O(2)	120.9(1)

Continued angles (right column):

Atoms			Angle
C(5)	C(4)	C(6)	111.7(5)
O(3)	C(7)	C(8)	106.7(5)
O(3)	C(7)	C(9)	110.2(5)
C(8)	C(7)	C(9)	109.7(6)
O(4)	C(10)	C(11)	107.2(5)
O(4)	C(10)	C(12)	108.6(5)
C(11)	C(10)	C(12)	107.4(7)

[a]Figures in parentheses are estimated standard deviations in the least significant digits.

Figure 1. A view of the $Mo_2(OCHMe_2)_8$ molecule using 40% probability ellipsoids to represent the atoms and showing the atom labelling scheme. The molecule has rigorous C_i symmetry.

Figure 2. A comparison of the coordination geometries in $Mo_2(OPr^i)_8$ and $Mo_2(OPr^i)_6(NO)_2$ showing some pertinent bond distances. Distances shown for B are averaged over two independent molecules. In both A and B the molecules possess rigorous C_i and virtual C_{2h} symmetry.

B

$Mo_2(O\text{-}i\text{-}Pr)_6(NO)_2$
Skeleton

A

$Mo_2(O\text{-}i\text{-}Pr)_8$
Skeleton

No. Copies   No. Copies

Office of Naval Research
Arlington, Virginia 22217
Attn: Code 472   2

Office of Naval Research
Arlington, Virginia 22217
Attn: Code 102IP   I   6

ONR Branch Office
536 S. Clark Street
Chicago, Illinois 60605
Attn: Dr. Jerry Smith   1

ONR Branch Office
715 Broadway
New York, New York 10003
Attn: Scientific Dept.   1

ONR Branch Office
1030 East Green Street
Pasadena, California 91106
Attn: Dr. R. J. Marcus   1

ONR Branch Office
San Francisco Area Office
One Hallidie Plaza
San Francisco, Calif. 94102   1
Attn: Dr. Phillip A. Miller

ONR Branch Office
495 Summer Street
Boston, Massachusetts 02210
Attn: Dr. L. H. Peebles   1

Director, Naval Research Laboratory
Washington, D.C. 20390
Attn: Code 6100   1

The Asst. Secretary of the Navy (R&D)
Department of the Navy
Room 4E736, Pentagon
Washington, D.C. 20350   1

Commander, Naval Air Systems Command
Department of the Navy
Washington, D.C. 20360
Attn: Code 310C (H. Rosenwasser) 1

Defense Documentation Center
Building 5, Cameron Station
Alexandria, Virginia 22314   12

U.S. Army Research Office
P.O. Box 12211
Research Triangle Park, N.C. 27709
Attn: CRD-AA-IP   1

Naval Ocean Systems Center
San Diego, California 92152
Attn: Mr. Joe McCartney   1

Naval Weapons Center
China Lake, California 93555
Attn: Head, Chemistry Division   1

Naval Civil Engineering Laboratory
Port Hueneme, California 93041
Attn: Mr. W. S. Haynes   1

Professor O. Heinz
Department of Physics & Chemistry
Naval Postgraduate School
Monterey, California 93940   1

Dr. A. L. Slafkosky
Scientific Advisor
Commandant of the Marine Corps (Code RD-1)
Washington, D.C. 20380   1

Office of Naval Research
Arlington, Virginia 22217
Attn: Dr. Richard S. Miller   1

No. Copies

No. Cop

Dr. M. A. El-Sayed
University of California
Department of Chemistry
Los Angeles, California 90024   1

Dr. M. W. Windsor
Washington State University
Department of Chemistry
Pullman, Washington 99163   1

Dr. E. R. Bernstein
Colorado State University
Department of Chemistry
Fort Collins, Colorado 80521   1

Dr. C. A. Heller
Naval Weapons Center
Code 6059
China Lake, California 93555   1

~~Dr. J. H. Chisholm
Princeton University
Department of Chemistry
Princeton, New Jersey 08540~~   1

Dr. J. R. MacDonald
Naval Research Laboratory
Chemistry Division
Code 6110
Washington, D.C.   20375   1

Dr. G. B. Schuster
University of Illinois
Chemistry Department
Urbana, Illinois 61801

Dr. E. M. Eyring
University of Utah
Department of Chemistry
Salt Lake City, Utah

Dr. A. Adamson
University of Southern California
Department of Chemistry
Los Angeles, California 90007

Dr. M. S. Wrighton
Massachusetts Institute of Technolo
Department of Chemistry
Cambridge, Massachusetts 02139

Dr. M. Rauhut
American Cyanamid Company
Chemical Research Division
Bound Brook, New Jersey 08805

BEST AVAILABLE COPY

No. Copies

No. Cop

Dr. D. A. Vroom
IRT
P.O. Box 80817
San Diego, California 92138   1

Dr. G. A. Somorjai
University of California
Department of Chemistry
Berkeley, California 94720   1

Dr. L. N. Jarvis
Surface Chemistry Division
4555 Overlook Avenue, S.W.
Washington, D.C. 20375   1

Dr. W. M. Risen, Jr.
Brown University
Department of Chemistry
Providence, Rhode Island 02912   1

~~Dr. M. M. Chisholm~~
~~Princeton University~~
~~Chemistry Department~~
~~Princeton, New Jersey 08540~~   1

Dr. J. B. Hudson
Rensselaer Polytechnic Institute
Materials Division
Troy, New York 12181   1

Dr. John T. Yates
National Bureau of Standards
Department of Commerce
Surface Chemistry Section
Washington, D.C. 20234   1

Dr. Theodore E. Madey
Department of Commerce
National Bureau of Standards
Surface Chemistry Section
Washington, D.C. 20234   1

Dr. J. M. White
University of Texas
Department of Chemistry
Austin, Texas 78712   1

Dr. R. W. Vaughan
California Institute of Technology
Division of Chemistry & Chemical
  Engineering
Pasadena, California 91125

Dr. Keith H. Johnson
Massachusetts Institute of Technology
Department of Metallurgy and Materials
  Science
Cambridge, Massachusetts 02139

Dr. M. S. Wrighton
Massachusetts Institute of Technology
Department of Chemistry
Cambridge, Massachusetts 02139

Dr. J. E. Demuth
IBM Corp.
Thomas J. Watson Research Center
P.O. Box 218
Yorktown Heights, New York 10598

Dr. C. P. Flynn
University of Illinois
Department of Physics
Urbana, Illinois 61801

Dr. W. Kohn
University of California (San Diego)
Department of Physics
La Jolla, California 92037

Dr. R. L. Park
Director, Center of Materials Research
University of Maryland
College Park, Maryland 20742

No. Copies   No. Cop

Dr. W. T. Perla   Dr. Leonard Wharton
Electrical Engineering Department   James Franck Institute
University of Minnesota   Department of Chemistry
Minneapolis, Minnesota 55455   1   5640 Ellis Avenue
                                                    Chicago, Illinois 60637   1

Dr. Markis Tzoar   Dr. M. G. Lagally
City University of New York   Department of Metallurgical
Convent Avenue at 138th Street   and Mining Engineering
New York, New York 10037   1   University of Wisconsin
                                                    Madison, Wisconsin 53706   1

Dr. Chia-wei Woo
Northwestern University   Dr. Robert Gomer
Department of Physics   James Franck Institute
Evanston, Illinois 60201   1   Department of Chemistry
                                                    5640 Ellis Avenue
                                                    Chicago, Illinois 60637   1
Dr. O. C. Mattis
Yeshiva University
Physics Department   Dr. R. F. Wallis
Amsterdam Avenue & 125th Street   University of California (Irvine)
New York, New York 10033   1   Department of Physics
                                                    Irvine, California 92664   1
Dr. Robert M. Hexter
University of Minnesota
Department of Chemistry
Minneapolis, Minnesota 55455   1

BEST AVAILABLE COPY

No. Copies		No. Copies

Dr. R. M. Grimes
University of Virginia
Department of Chemistry
Charlottesville, Virginia 22901   1

Dr. M. Tsutsui
Texas A&M University
Department of Chemistry
College Station, Texas 77843   1

Dr. C. Quicksall
Georgetown University
Department of Chemistry
37th & O Streets
Washington, D.C. 20007   1

Dr. M. F. Hawthorne
University of California
Department of Chemistry
Los Angeles, California 90024   1

Dr. D. B. Brown
University of Vermont
Department of Chemistry
Burlington, Vermont 05401   1

Dr. W. B. Fox
Naval Research Laboratory
Chemistry Division
Code 6130
Washington, D.C. 20375   1

Dr. J. Adcock
University of Tennessee
Department of Chemistry
Knoxville, Tennessee 37916   1

Dr. A. Cowley
University of Texas
Department of Chemistry
Austin, Texas 78712   1

Dr. W. Hatfield
University of North Carolina
Department of Chemistry
Chapel Hill, North Carolina 27514   1

Dr. D. Seyferth
Massachusetts Institute of Technology
Department of Chemistry
Cambridge, Massachusetts 02139   1

~~Dr. M. H. Chisholm~~
~~Princeton University~~
~~Department of Chemistry~~
~~Princeton, New Jersey 08540~~   1

Dr. B. Foxman
Brandeis University
Department of Chemistry
Waltham, Massachusetts 02154   1

Dr. T. Marks
Northwestern University
Department of Chemistry
Evanston, Illinois 60201   1

Dr. G. Geoffrey
Pennsylvania State University
Department of Chemistry
University Park, Pennsylvania 16802   1

Dr. J. Zuckerman
University of Oklahoma
Department of Chemistry
Norman, Oklahoma 73019   1